

Peering Security

RONOG Bucharest 2019

Walt Wollny, Director Interconnection Strategy Hurricane Electric AS6939


Who is Walt Wollny?

□ Hurricane Electric AS6939 – 4 years

- Director Interconnection Strategy supporting the network to reach to over 44 counties and over 229 Internet Exchanges.
 Focus on Global connectivity.
- Amazon AS16509 4 years
 - Developed IP Transit and Peering on five continents.
 - Primary focus on Japan, Singapore, Hong Kong, India, Taiwan, Philippines, Australia.
 - Over 62 new CDN sites.
- Microsoft AS8075 13 years
 - Developed IP Transit and Peering on four continents.
 - □ Primary focus on US, EU and South America.



Hurricane Electric Backbone





The Most Peering Exchanges

Search

Quick Links

Internet Exchanges Exchange Participants

HURRICANE ELECTRIC


INTERNET SERVICES

Internet Exchange Report

BGP Toolkit Home **BGP Prefix Report BGP Peer Report** Exchange Report **Bogon Routes** World Report Multi Origin Routes **DNS Report Top Host Report Internet Statistics** Looking Glass **Network Tools App** Free IPv6 Tunnel **IPv6** Certification **IPv6 Progress Going Native** Contact Us



IX Participation Count					
ASN	Name	IXes			
<u>AS6939</u>	Hurricane Electric LLC	219			
<u>AS13335</u>	Cloudflare, Inc.	219			
<u>AS42</u>	<u>WoodyNet</u>	178			
<u>AS3856</u>	Packet Clearing House	170			
<u>AS20940</u>	Akamai International B.V.	165			
<u>AS15169</u>	Google LLC	152			
<u>AS8075</u>	Microsoft Corporation	147			
<u>AS32934</u>	Facebook, Inc.	108			
<u>AS16509</u>	Amazon.com, Inc.	100			
<u>AS2906</u>	Netflix Streaming Services Inc.	95			
<u>AS10310</u>	Oath Holdings Inc.	87			
<u>AS26415</u>	VeriSign Global Registry Services	77			
<u>AS54113</u>	<u>Fastly</u>	75			
<u>AS22822</u>	Limelight Networks, Inc.	75			
<u>AS15133</u>	<u>EdgeCast Networks, Inc. d/b/a Verizon</u> <u>Digital Media Services</u>	74			






Why So Many Peering Exchanges?



Why So Many Peering Exchanges?





Before we start....

We all live in glass houses..

Offer to help and drop that rock....



What does security have to do with Peering?

A lot. Now.

Security was an afterthought, but it has become **critically** important with the increase of BGP hijacks

Some of the basics...



Basics

Best defenses for your network?

- Logical Port Security
- IXP Subnet Security
- Routing Security
- http://routing.he.net/



Logical Port Security

- Many IXPs will post their recommended port configuration (<u>HKIX</u>, <u>AMS-IX</u>, etc).
- Don't just connect an interface with a default configuration to an IX Port!
- Services like Proxy-ARP will disrupt the IX as well as degrade your own network.
- Most IXs allow only unicast traffic. (IPv6 multicast neighbor discovery packets are an exception.0



Logical Port Security

- Apply ACL's to your interfaces—don't forget to configure both IPv4 and IPv6 ACLs!
- The SIX (Seattle Internet Exchange) has a great example <u>here</u>.
- Your IX port is an exposed piece of your network.
- Hundreds of other networks are directly connected.
- Remove this security risk!



Logical Port Security

Why do we care?



AMS-IX

Ticket: 341134 Subject: Instability on AMS-IX Status: closed Opened: 2017-06-20 16:04:56 +0200 Type: unscheduled Scope: AMS-IX NL Start: 2017-06-20 15:20:00 +0200 CLOSED 2017-06-21 16:54:10 +0200:

Total impact time - 1 hour 34 mins

Root cause human error

The instability was caused due to a hardware issue on the customer's NIC and due to proxy-arp being enabled after the port passed the testing phase and was moved to production.



BBIX Tokyo

Occurred time: Corresponded time: Recovered time: Affected area: 2018/5/16 17:28 JST 2018/5/16 17:48 JST 2018/5/16 18:10 JST BBIX Tokyo IX service

Total impact time - 39 mins

Root cause human error

Arp proxy response(= proxy arp) became effective when we changed the subnet mask on our monitoring router



- Your IX Port is a target for DDoS Attacks!
- Applying the best security practices will help limit the exposure.




- The IXP is responsible for protecting the infrastructure.
- The IX LAN is not your IP space and should not be routed.
- Checking this...




Public Peering Exchange Points	5	JPNAP	
Exchange 🕶 ASN	IPv4 IPv6		Speed RS Peer
JPNAP Osaka	210.173.178		10G
6939 <u>JPNAP Tokyo</u> 6939	2001:7fa:7:2:: 210.173.176 2001:7fa:7:1::	6.106	10G
















The IX LAN is not your IP space and should not be routed.

Some of the smaller guys



Europe

CC Exchange Speed IPv4 IPv6 VIX 2x10GE 193.203.0.185 2001:7f8:30:0:2:1:0:6939 BNIX 2x10GE 194.53.172.33 2001:7f8:26::a500:6939:1 B-IX Balkans 10GE 217.174.157.31 2001:7f8:8e::31 BIX.BG 2x10GE 193.169.198.70 2001:7f8:58::1b1b:0:1 NetIX 10GE 193.218.0.89 2001:67c:29f0::6939:1 MegalX Sofia 10GE 91.212.235.55 2001:7f8:9f::a:6939:1 T-CIX Bulgaria 10GE 185.1.40.26 2001:7f8:98::26 CIXP 10GE 192.65.185.143 2001:7f8:1c:24a::1b1b:1



Some of the big ones.....



Europe

CC Exchange Speed IPv4 IPv6

DE-CIX Frankfurt 2x100GE 80.81.192.172 2001:7f8::1b1b:0:1 France-IX Paris 2x10GE 37.49.236.10 2001:7f8:54::10 AMS-IX 2x100GE 80.249.209.150 2001:7f8:1::a500:6939:1 LINX 100GE 195.66.224.21 2001:7f8:4:0::1b1b:1 MSK-IX Moscow 2x100GE 195.208.210.40 2001:7f8:20:101::210:40 NL-IX 3x10GE 193.239.116.14 2001:7f8:13::a500:6939:1



HOME BLOG ABOUT US

CLIENT PORTAL PRODUCTS AND SERVICES

Plans and Pricing

Our Basic plan enables you to monitor up to 5 prefixes for free. Our premium plan allows you to monitor more than 5 prefixes, provides full alert details plus it comes with a number of other features such as access to our web services API, our popular daily routing report software which informs you of any routing changes for your network. Other extras include an additional email address for alerts as well as SMS formatted emails.

Create new BGPmon account

Our features include:

	Basic	Premium
Real time prefix monitoring and alerting		~
ROA validation monitoring		~
Autonomous system reporting	~	~
Daily routing reports		~
BGPMon webservice API		~
Full alert details		~
Additional email for notifications		~
SMS and phone call notification		

Basic:

monitor up to 5 prefixes for free

Premium:

starting from \$13 / prefix / month

This product is now end of life in March 2020



BGPmon Alert

Sent: Wednesday, January 30, 2019 at 11:08 AM

To: info@seattleix.net

You received this email because you are subscribed to BGPmon.net. For more details about these updates please visit: https://portal.bgpmon.net/myalerts.php

Possible Prefix Hijack (Code: 10) __________________________ Your prefix: 206.81.80.0/22: Update time: 2019-01-29 21:55 (UTC) Detected by #peers: 1 Detected prefix: 206.81.80.0/23 Announced by: AS10310 (YAHOO-1 - Yahoo!, US) Upstream AS: AS29467 (LUXNETWORK Network Service Provider in Luxembourg, LU) ASpath: 60983 29467 10310 Alert details: https://portal.bgpmon.net/alerts.php?details&alert id=86973730 Mark as false alert: https://portal.bgpmon.net/fp.php?aid=86973730

*for questions regarding the change code or other question, please see: https://portal.bgpmon.net/faq.php

Latest BGPmon news: <u>http://bgpmon.net/blog/</u>

- * Popular Destinations rerouted to Russia
- * Today's BGP leak in Brazil
- * BGP leak causing Internet outages in Japan and beyond.

BGPMON Replacement

https://mailman.nanog.org/pipermail/nanog/2019-August/102672.html

Thanks to Job & Massimo @NTT Ltd

This product is now end of life in March 2020



Why do we care?



The DDoS That Almost Broke the Internet

Cloudflare March 2013 ~120Gbps attack on LINX




You <u>must</u> filter your peers.

- Most networks don't filter their peers.
- This is negligent behavior.



Routing Security: Why it matters

On 28 December 2018 China Telecom hijacked a US Department of Energy prefix (192.208.19.0/24) and did not correct the problem for 6 days.




InternetIntelligence

@InternetIntel

Follow)

At 06:28 UTC earlier today (30-Jul), an Iranian state telecom network briefly leaked over 100 prefixes. Most were Iranian networks, but the leak also included 10 prefixes of popular messaging app @telegram (8 were more-specifics).



(HE)

https://bgpstream.com

Every day there are several hijacks and leaks

Possible Hijack	Expected Origin AS: COMCAST-7922 - Comcast Cable Communications, LLC, US (AS 7922) Detected Origin AS: LIVEPERSON-ASN, IL (AS 49794)	2019-08-21 14:20:14		More detail
Possible	Expected Origin AS: ADAPT-AS, GB (AS 24867)	2019-08-21		More
Hijack	Detected Origin AS: LEVEL3 - Level 3 Parent, LLC, US (AS 3356)	14:20:14		detail
Possible	Expected Origin AS: GLBB-JP GLBB Japan KK, JP (AS 55900)	2019-08-21		More
Hijack	Detected Origin AS: MULTIDATA-ID-AP PT Multidata Rancana Prima, ID (AS 58552)	12:57:31		detail
Outage Fundação Car	Eurodeaño Carlos Chagos Filha da Aranaro a Dascuira, DD (40.0715)	2019-08-21	2019-08-21	More
	Fundação Carlos Chagas Filho de Amparo a Pesquisa, BR (AS 2715)	12:42:00	12:54:00	detail
Outage		2019-08-21	2019-08-21	More
	Assoc do Inst Nac de Matematica Pura e Aplicada, BR (AS 262829)	12:42:00	12:54:00	detail
Possible	Expected Origin AS: LASVEGASNET-AS - LasVegas.Net LLC, US (AS 27501)	2019-08-21		More
Hijack	Detected Origin AS: LIQUID-AS, GB (AS 30844)	10:48:30		detail
Possible	Expected Origin AS: LASVEGASNET-AS - LasVegas.Net LLC, US (AS 27501)	2019-08-21		More
Hijack	Detected Origin AS: LIQUID-AS, GB (AS 30844)	10:48:30		detail



I know we can do better



You must filter your peers!



- Routing security is important in two directions:
 - The routes you receive
 - The routes you announce
- Starting with the routes you receive...



- The routes you receive can be filtered in a few ways:
 - Prefix Count
 - AS-Path
 - Prefix list
 - RPKI



Prefix Count

Consider tightening up the limits with bgp neighbor restart/graceful



AS-Path

BBIX peer 各位 (Dear BBIX peering partners,)

さくらインターネット(AS9371)の津田です。 いつもお世話になっております。

弊社から広報しておりますAS Pathに変更が御座います。 AS Pathでのフィルタ設定が御座います場合、設定変更をお願い致します。

AS name: SAKURA-C AS set: AS-SAKURA AS number: 9371

▼追加するAS Path(IPv4) ^(9371_)+(2519_)+(9354_)+(10001_)+\$ ^(9371_)+(9370_)+(2519_)+(9354_)+(10001_)+\$



Prefix list per neighbor

ip prefix-list AS57660 permit 37.26.208.0/20 ip prefix-list AS57660 permit 185.67.16.0/22 ip prefix-list AS57660 permit 212.67.48.0/20



RPKI



Building filters does not have to be hard. You can script it yourself or use a tool like bgpq3. Here is an example using bgpq3 to generate a prefix list for a Juniper router:

```
walt@staff:~$ bgpq3 -J4I AS57660-IN AS57660
policy-options {
replace:
    prefix-list AS57660-IN {
        37.26.208.0/20;
        185.67.16.0/22;
        212.67.48.0/20;
    }
} walt@staff:~$
```



IXPs using RPKI

- AMS-IX
- DE-CIX
- France-IX
- LINX
- LONAP
- Over 58 IXP today and more coming!
- Downside is that not all networks peer on route servers
- <u>http://peering.exposed/</u>



http://routing.he.net





ROUTE FILTERING HOME ALGORITHM

AS13335

ASN	STATUS	PEERINGDB_IRR	Ð	XTRACTED_V4	EXTRACTED_V6	OK_V4	OK_V6	SOURCE
13335	explicit	AS-CLOUDFLARE	Γ			AS-CLOUDFLARE	AS-CLOUDFLARE	peeringdb

FILTERS

AF	AS-SET NAME	IRR STATUS	IRR BUILT	IRR LINES	PREFIXES RECEIVED	FILTER BUILT	FILTER LINES	POLICY	REASONS	FILTER
4	AS- CLOUDFLARE	good	May 20 2019 13:20:28	1381	600	May 21 2019 13:19:06	600	DISPLAY	DISPLAY	DISPLAY
6	AS- CLOUDFLARE	good	May 20 2019 13:20:36	1026	224	May 21 2019 13:19:10	224	DISPLAY	DISPLAY	DISPLAY

AF	ROUTER	NAME	STATUS	CHECKED	EXISTING_LINES	VERIFIED	EXISTING	DELTA	LOG
4	core1.akl1.he.net	prefix-filter- as13335	updated	May 21 2019 14:28:29	606	May 21 2019 14:28:36	DISPLAY	<u>DISPLAY</u>	<u>DISPLAY</u>





ROUTE FILTERING HOME ALGORITHM

AS13335

ASN	STATUS	PEERINGDB_IRR	EXTRACTED_V4	EXTRACTED_V6	OK_V4	OK_V6	SOURCE
13335	explicit	AS-CLOUDFLARE			AS-CLOUDFLARE	AS-CLOUDFLARE	peeringdb

FILTERS

AF	AS-SET NAME	IRR STATUS	IRR BUILT	IRR LINES	PREFIXES RECEIVED	FILTER BUILT	FILTER LINES	POLICY	REASONS	FILTER
4	AS- CLOUDFLARE	good	May 20 2019 13:20:28	1381	600	May 21 2019 13:19:06	600	DISPLAY	DISPLAY	DISPLAY
6	AS- CLOUDFLARE	good	May 20 2019 13:20:36	1026	224	May 21 2019 13:19:10	224	DISPLAY	DISPLAY	DISPLAY

AF	ROUTER	NAME	STATUS	CHECKED	EXISTING_LINES	VERIFIED	EXISTING	DELTA	LOG
4	core1.akl1.he.net	prefix-filter- as13335	updated	May 21 2019 14:28:29	606	May 21 2019 14:28:36	DISPLAY	<u>DISPLAY</u>	<u>DISPLAY</u>





ROUTE FILTERING HOME ALGORITHM

AS13335

ASN	STATUS	PEERINGDB_IRR	EXTRACTED_V4	EXTRACTED_V6	OK_V4	OK_V6	SOURCE
13335	explicit	AS-CLOUDFLARE			AS-CLOUDFLARE	AS-CLOUDFLARE	peeringdb

FILTERS

AF	AS-SET NAME	IRR STATUS	IRR BUILT	IRR LINES	PREFIXES RECEIVED	FILTER BUILT	FILTER LINES	POLICY	REASONS	FILTER
4	AS– CLOUDFLARE	good	May 20 2019 13:20:28	1381	600	May 21 2019 13:19:06	600	<u>DISPLAY</u>	DISPLAY	DISPLAY
6	AS- CLOUDFLARE	good	May 20 2019 13:20:36	1026	224	May 21 2019 13:19:10	224	DISPLAY	DISPLAY	DISPLAY

AF	ROUTER	NAME	STATUS	CHECKED	EXISTING_LINES	VERIFIED	EXISTING	DELTA	LOG
4	core1.akl1.he.net	prefix-filter- as13335	updated	May 21 2019 14:28:29	606	May 21 2019 14:28:36	DISPLAY	DISPLAY	<u>DISPLAY</u>





ROUTE FILTERING HOME ALGORITHM

AS13335

ASN	STATUS	PEERINGDB_IRR	EXTRACTED_V4	EXTRACTED_V6	OK_V4	OK_V6	SOURCE
13335	explicit	AS-CLOUDFLARE			AS-CLOUDFLARE	AS-CLOUDFLARE	peeringdb

FILTERS

AF	AS-SET NAME	IRR STATUS	IRR BUILT	IRR LINES	PREFIXE RECEIVE	FILTER BUILT	FILTER LINES	POLICY	REASONS	FILTER
4	AS- CLOUDFLARE	good	May 20 2019 13:20:28	1381	600	May 21 2019 13:19:06	600	DISPLAY	DISPLAY	DISPLAY
6	AS- CLOUDFLARE	good	May 20 2019 13:20:36	1026	224	May 21 2019 13:19:10	224	DISPLAY	DISPLAY	DISPLAY

AF	ROUTER	NAME	STATUS	CHECKED	EXISTING_LINES	VERIFIED	EXISTING	DELTA	LOG
4	core1.akl1.he.net	prefix-filter- as13335	updated	May 21 2019 14:28:29	606	May 21 2019 14:28:36	DISPLAY	DISPLAY	DISPLAY



SESSIONS

295 sessions.

SESSION STATUS IS NON REALTIME, DATA IN TABLE IS DELAYED APPROXIMATELY 24 HOURS

IP	ROUTER	STATUS	ACCEPTED	FILTERED	RECEIVED	RCVD STATUS	RCVD UPDATED	RCVD ACCEPTED	RCVD FILTERED
103.16.102.93	core1.sin1.he.net	ESTAB	0	266	DISPLAY	good	October 20 2018 01:52:05	0	266
103.231.152.33	core1.sin1.he.net	ESTAB	270	0	<u>DISPLAY</u>	good	October 18 2018 18:39:16	270	0
103.246.232.134	core1.osa1.he.net	ISTAB	255		DISPLAY	good	September 17 2018 00:07:52	255	0



SSH@cor	cel.amsl.he.net>tern	minal length 0				
	ogp nei 185.1.32.22	received-routes				
	There are 262 rece	ived routes from	neighbor 18	35.1.32.22		
Searchi	ing for matching ro	utes, use ^C to	quit			
Status	A:AGGREGATE B:BEST	b:NOT-INSTALLED	-BEST C:CONH	ED_EBGP D:I	DAMPED	
	E:EBGP H:HISTORY I	:IBGP L:LOCAL M:	MULTIPATH m:	NOT-INSTALI	ED-MULI	TIPATH
	S:SUPPRESSED F:FIL	TERED s:STALE x:	BEST-EXTERNA	\L		
	Prefix	Next Hop	MED	LocPrf	Weight	Status
1	1.0.0/24	185.1.32.22		100	0	ME
	AS_PATH: 13335					
2	1.1.1.0/24	185.1.32.22		100	0	ME
	AS_PATH: 13335					
3	23.227.63.0/24	185.1.32.22		100	0	ME
	AS_PATH: 13335					
4	64.68.192.0/24	185.1.32.22		100	0	ME
	AS_PATH: 13335					
5	66.235.200.0/24	185.1.32.22		100	0	EF
	AS_PATH: 13335					
6	104.16.0.0/12	185.1.32.22		100	0	ME
	AS_PATH: 13335					
7	104.16.0.0/20	185.1.32.22		100	0	ME



SSH@cor	cel.amsl.he.net>ter	minal length ()				
	ogp nei 185.1.32.22						
	There are 262 rece			r 185.1.32.22			
Searchi	ing for matching ro		-				
Status	A:AGGREGATE B:BEST	b.NOT-INSTALI	ED-BEST C:	CONFED_EBGP D	:DAMPED		
E:EBGP H:HISTORY I:IBGP L:LOCAL M:MULTIPATH m:NOT-INSTALLED-MULTIPATH							
S:SUPPRESSED F:FILTERED S:STALE x:BEST-EXTERNAL							
	Prefix	Next Hop	MED	LocPrf	Weight	Status	
1	1.0.0.0/24	195.1.32.22		100	0	ME	
	AS_PATH: 13335						
2		185.1.32.22		100	0	ME	
	AS_PATH: 13335				•		
3	23.227.63.0/24	185.1.32.22		100	0	ME	
	AS_PATH: 13335	105 1 20 00		100	0		
4	64.68.192.0/24	185.1.32.22		100	0	ME	
F	AS_PATH: 13335	105 1 20 00		100		777	
5	66.235.200.0/24	183.1.32.22		100	0	EF	
6	AS_PATH: 13335 104.16.0.0/12	185.1.32.22		100	0	ME	
0	AS PATH: 13335	103.1.32.22		100	0		
7	104.16.0.0/20	185.1.32.22		100	0	ME	
						E	

[Toms-MacBook-Pro-38:Downloads tom\$ whois -h whois.radb.net 66.235.200.0

66.235.200.0/24 route: CMI (Customer Route) descr: origin: AS38082 MAINT-AS58453 mnt-by: changed: gas_support@cmi.chinamobile.com 20180906 RADB source: 66.235.200.0/24 route: descr: CMI IP Transit origin: AS38082 admin-c: MAINT-CMI-INT-HK tech-c: MAINT-CMI-INT-HK mnt-by: MAINT-CMI-INT-HK qas_support@cmi.chinamobile.com 20180906 changed: NTTCOM source:



Hurricane Electric Route Filtering Algorithm


Read more here

http://routing.he.net/algorithm.html

- Example:
- xx.7.224.0/24, rejected, does not strictly match IRR policy or RIR handles
- xx.10.254.0/23, accepted, strictly matched IRR policy
- xx.17.248.0/24, accepted, strictly matched IRR policy
- xx.26.36.0/22, rejected, does not strictly match IRR policy or RIR handles
- xx.26.39.0/24, rejected, does not strictly match IRR policy or RIR handles



Update your ROA/IRR





ROA Signed and Valid

ROA Signed and Invalid

IRR Valid

IRR Match - Parent Entry Found

IRR Invalid



Resources

- https://www.seattleix.net/faq
- https://twitter.com/bgpstream/status/1078584924364595202?lang=en
- https://bgp.he.net
- https://routing.he.net
- https://github.com/snar/bgpq3
- https://bgpmon.net/
- https://bgpstream.com/
- <u>https://bgpmon.net/</u>
- <u>http://peering.exposed/</u>





Thanks!

Walt Wollny, Director Interconnection Strategy Hurricane Electric AS6939 walt@he.net